


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NOTES

SEE MASTER PRINTS FOR MORE INFO.


PART #	QTY	DESCRIPTION
-5 B	1	6061 Ø10 x 3/4
-5 D	6	Ø5/16-18 x 1.375 HEX H. CAP SCREW

USED ON MODEL
414-100
CH-47D


DRAWN BY: PERRITT
CHECKED
HEAT TREAT
FINISH SPEC
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± .5°
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES Ø15 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING

RED BARN MACHINE	
TITLE SPREADER PLATE ASSEM.	
DWG NO. 145G0062	REV.
SCALE NTS	DATE 1-28-06 SHEET 2 of 2

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



-5A



NOTES  
SEE MASTER PRINTS FOR MORE INFO.


PART #	QTY	DESCRIPTION
-5 A	1	6061 Ø10 x 2
-5 C	2	Ø1/4 x 3/4 DOWEL PIN

USED ON MODEL
414-100
CH-47D

DRAWN BY:	PERRITT
CHECKED	
HEAT TREAT	
FINISH SPEC	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	FRACTIONS ± 1/32
.XXX ± .005	ANGLES ± .5°
.XX ± .01	
X ± .1	
UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES	
.015 x 45° P/R .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RED BARN MACHINE	
TITLE	
SPREADER PLATE ASSEM.	
DWG NO.	145G0062
SCALE	NTS
DATE	1-27-06
SHEET	1 of 2

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



NOT APPROVED FOR PRODUCTION

PART #	QTY	DESCRIPTION	USED ON MODEL	DRAWN BY: PERRITT	RED BARN MACHINE	
-1	1	41L40 Ø5/8 x 3/4	?	APPROVED	TITLE	
				HEAT TREAT	DWG NO.	
				FINISH SPEC	PART #	
				UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	SCALE NTS	
				UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DATE 9-15-03	
					SHEET 1 of 1	

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

USED ON MODEL ?     	DRAWN BY: PERRITT	RB RED BARN MACHINE	
	CHECKED	TITLE	
	HEAT TREAT FINISH SPEC	TITLE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	TITLE	
	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	TITLE	
SCALE NTS		DATE 9-15-03	SHEET 1 of 1